




## BEARING Driveshaft USA CORP.



15 mm x 32 mm x 9 mm skf 6002 bearing

Bearing No. 6002

Size	15x32x9 mm
Bore Diameter	15 mm
Outer Diameter	32 mm
Width	9 mm
d	15 mm
D	32 mm
B	9 mm
C	9 mm
d1	20,5 mm
r1 min.	0,3 mm
r2 min.	0,3 mm
D1	26,7 mm
D2	28,2 mm
da min.	17 mm
Da max.	30 mm
rc max.	0,3 mm
Weight	0,03 Kg
Basic dynamic load rating (C)	5,85 kN
Basic static load rating (C0)	2,85 kN
Fatigue load limit (Pu)	0,12
Reference speed	50000 r/min
Limiting speed	32000 r/min
Calculation factor (f0)	14
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	SKF

6002 Bearing 2D drawings and 3D CAD models



## BEARING Driveshaft USA CORP.

Minimum Buy Quantity	N/A
Weight / Kilogram	0.032
EAN	7316577065544
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	15MM Bore; 32MM Outside Diameter; 9MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	6002
Weight / LBS	0.07
Bore	0.591 Inch   15 Millimeter
Outside Diameter	1.26 Inch   32 Millimeter
Outer Race Width	0.354 Inch   9 Millimeter
d <sub>1</sub>	20.5 mm
D <sub>2</sub>	28.2 mm



## BEARING Driveshaft USA CORP.

$d_a$ min.	17 mm
$D_a$ max.	30 mm
$r_a$ max.	0.3 mm
Basic dynamic load rating C	5.85 kN
Basic static load rating $C_0$	2.85 kN
Fatigue load limit $P_u$	0.12 kN
Calculation factor $k_r$	0.025
Calculation factor $f_0$	14
Mass bearing	0.03 kg